



2





SECTION A-A





**SECTION B-B** 

ROUGH OPENING: CLEAR OPENING: DEGREE OF OPENING: # LATCHING POINTS:

NOTES:

1 FRAME: 6063-T5 Ext Aluminum, Mill Finish

2 DOOR:

 $\langle 3 \rangle$  HINGE:

(4) **GASKET:** EPDM Self-adhesive, Continuous Four Sides

5 **INSULATION:** Foam Insulation, 2-1/4lb Density, 12 R-Value

6 **LATCH:** Non-Locking Handle

PROJECT: ARCHITECT: CONTRACTOR: QTY: PART#: TITLE: **babcock**davis 9300 73rd Avenue North Brooklyn Park, MN 55428 REV NAME DATE SIZE DWG. NO. Α DRAWN RELEASED WEIGHT: VARIES SHEET 1 OF 2

**CLEAR** OPENING **HEIGHT** CLEAR OPENING-**WIDTH CLEAR OPENING** WIDTH (DOOR REMOVED) GASKET INSULATION DETAIL D SCALE 1:3 CONTINUOUS HINGE DOOR **HEIGHT** PART#: TITLE: **babcock**davis DETAIL E SCALE 1:3 9300 73rd Avenue North Brooklyn Park, MN 55428 REV NAME DATE SIZE DWG. NO.

2

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BABCOCK-DAVIS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BABCOCK-DAVIS IS PROHIBITED.

В

1


Α


WEIGHT: VARIES


SHEET 2 OF 2


DRAWN

RELEASED









**SECTION B-B** 

**ROUGH OPENING: CLEAR OPENING: DEGREE OF OPENING: # LATCHING POINTS:** 

NOTES:

FRAME: 6063-T5 Ext Aluminum, Mill Finish

DOOR:

 $\langle 3 \rangle$  HINGE:

4 GASKET: Coextruded PVC Leaf, Continuous Four Sides

INSULATION: Foam Insulation, 2-1/4lb Density, 12 R-Value

LATCH: No Latch 6

LOCK: Mortise Prep for 1 5/32"-32 thread cylinder

PROJECT: ARCHITECT: CONTRACTOR: QTY: PART#: TITLE: **babcock**davis 9300 73rd Avenue North, Brooklyn Park, MN 55428 NAME DATE SIZE DWG. NO. Α DRAWN RELEASED WEIGHT: VARIES SHEET 1 OF 2

REV

CLEAR **OPENING** HEIGHT -CLEAR OPENING-WIDTH GASKET-**CLEAR OPENING** WIDTH (DOOR REMOVED) INTERIOR RELEASE DETAIL D INSULATION SCALE 1:3 CONTINUOUS HINGE DOOR **HEIGHT** PART#: TITLE: DETAIL E SCALE 1:3 **babcock**davis 9300 73rd Avenue North Brooklyn Park, MN 55428

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BABCOCK-DAVIS, ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BABCOCK-DAVIS IS PROHIBITED.

В

NAME DATE

DRAWN

RELEASED


Α


SIZE DWG. NO.


WEIGHT: VARIES

REV

SHEET 2 OF 2








2 1/8" WIDTH

ROUGH OPENING: "X CLEAR OPENING: "X DEGREE OF OPENING: "X # LATCHING POINTS:



**DETAIL F** 

SECTION B-B

NOTES:

(1) **FRAME:** 6063-T5 Ext Aluminum, Mill Finish

 $\bigcirc$  DOOR:

 $\langle 3 \rangle$  HINGE:


(4) GASKET: EPDM Self-Adhesive, Continuous Four Sides

(5) **INSULATION:** Foam Insulation, 2-1/4lb Density, 12 R-Value

6 LATCH:

7 LOCK: Lockable Handle


PROJECT: ARCHITECT: CONTRACTOR: QTY: PART#: TITLE: **babcock**davis 9300 73rd Avenue North, Brooklyn Park, MN 55428 REV NAME DATE SIZE DWG. NO. Α DRAWN RELEASED WEIGHT: VARIES SHEET 1 OF 2





В


1

2









ROUGH OPENING: CLEAR OPENING: DEGREE OF OPENING: # LATCHING POINTS: "X "X

NOTES:

1 FRAME: 6063-T5 Ext Aluminum, Mill Finish

 $\langle 2 \rangle$  DOOR:

 $\langle 3 \rangle$  HINGE:

(4) **GASKET:** Coextruded PVC Leaf, Continuous Four Sides

(5) INSULATION: Foam Insulation, 2-1/4lb Density, 12 R-Value

6 LATCH: Screwdriver Cam

PROJECT: ARCHITECT: CONTRACTOR: QTY: PART#: TITLE: **babcock**davis 9300 73rd Avenue North, Brooklyn Park, MN 55428 REV NAME DATE SIZE DWG. NO. Α DRAWN RELEASED WEIGHT: VARIES SHEET 1 OF 2

